

**CONTINUING
(1.53(b)) UTILITY
PATENT APPLICATION
TRANSMITTAL**

(Only for continuing applications under 37 CFR 1.53(b))

Attorney Docket No.

1293.1072D/MDS

First Named Inventor:

Seong-Jin MOON et al.

Title:

METHOD AND APPARATUS FOR RECORDING MANUFACTURER INFORMATION AND FOR DETERMINING WHETHER THE MANUFACTURER INFORMATION IS EFFECTIVE

Express Mail Label No.

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO: Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

1. Fee Transmittal Form
2. Specification, Claims & Abstract [Total Pages: 15]
3. Drawing(s) (35 USC 113) [Total Sheets: 5]
4. Oath or Declaration [Total Pages: 2]
 - a. Newly executed (original or copy)
 - b. Copy from a prior application (37 CFR 1.63(d)) (*see Box 18*)
5. This application is filed by fewer than all the inventors named in the prior non-provisional application.
 - a. **DELETE** the following inventor(s) named in the prior non-provisional application:
 - b. The inventor(s) to be deleted are set forth on a separate sheet attached hereto.
6. Incorporation by Reference (usable if Box 4b is checked)

The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
7. Microfiche Computer Program (*Appendix*)
8. Nucleotide and/or Amino Acid Sequence Submission (*if applicable, all necessary*)
 - a. Computer Readable Copy
 - b. Paper Copy (identical to computer copy)
 - c. Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

9. Assignment Papers (cover sheet & document(s))
10. 37 CFR 3.73(b) Statement (*when there is an assignee*) Power of Attorney
11. English Translation Document (*if applicable*)
12. Foreign priority benefit under 35 U.S.C. §119 is claimed.
 - a. Certified Copy of Priority Document(s) filed in prior application No. 09/337,253.
 - b. Certified Copy of Priority Document(s) enclosed.
 - c. Certified Copy of Priority Document(s) to follow.
13. Information Disclosure Statement (IDS)/PTO-1449 Copies of IDS Citations
14. Preliminary Amendment
 - a. enclosed herewith.
 - b. incorporated herein (*see Box 18*).
15. Return Receipt Postcard (MPEP 503) (*Should be specifically itemized*)
16. Small Entity Statement(s) Statement filed in prior application, status still proper and desired.
17. Other:

18. CONTINUING APPLICATION, check appropriate box and supply the requisite information below:

[] Continuation [X] Divisional [] Continuation-in-part (CIP) of prior application No: 09/337,253

Prior application information: Examiner: UNASSIGNED

Group/Art Unit: 2753

* * *

Preliminary Amendment:


- [X] Cancel in this application original claims 1-3, and 11-14 of the prior application before calculating the filing fee. (At least one original independent claim must be retained for filing purposes.)
- [X] Amend the specification by inserting before the first line the sentence:
--This application is a divisional of application number 09/337,253, filed June 22, 1999, now pending.--

19. NEW CORRESPONDENCE ADDRESS * CUSTOMER NO. 21,171

STAAS & HALSEY LLP
700 Eleventh Street, N.W.
Suite 500
Washington, DC 20001

Telephone: (202) 434-1500
Facsimile: (202) 434-1501

20. SIGNATURE OF ATTORNEY OR AGENT

NAME	Michael D. Stein	REGISTRATION NO.	37,240
SIGNATURE		DATE	7/5/00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Seong-jin MOON et al.

Divisional of U.S. Serial No.: 09/337,253

Examiner: unassigned

Filed: July 5, 2000

Group Art Unit: unassigned

For: **METHOD AND APPARATUS FOR RECORDING MANUFACTURER
INFORMATION AND FOR DETERMINING WHETHER THE MANUFACTURER
INFORMATION IS EFFECTIVE**

PRELIMINARY AMENDMENT

Honorable Commissioner of
Patents and Trademarks
Washington, D.C. 20231

Sir:

Before examination of the above-identified application, please amend the application as follows:

IN THE SPECIFICATION

Page 1, line 18, change "FIG" to --FIG.--;
 line 26, change "on" to --in--.

Page 4, line 29, delete "the step of".

Page 5, line 4, delete "the step of".

Page 8, line 16, after "with" insert --the--.

Page 10, line 8, after "contents" insert --are--;

line 11, change "other" to --another--.

Page 11, line 9, change "manufacturer's" to --manufacturers'--.

IN THE CLAIMS

Please cancel claims 1-3 and 11-14, amend claims 6 and 8 and add new claims 15-39 as follows:

6. (ONCE AMENDED) The recording apparatus of claim 4, wherein the manufacturer information has a maximum number of manufacturer information items, and if the number of manufacturer information items exceeds the maximum number of manufacturer information items, then the recording controller deletes an oldest one of the manufacturer information [item] items.

8. (ONCE AMENDED) A reproducing apparatus for reproducing content, including audio, video, and/or information data, [on] from a rewritable recording medium, comprising:

 a reproducing controller to reproduce the content, formatted information for the content and manufacturer information to support a manufacturer's specific function, wherein the manufacturer information comprises an identification code of the manufacturer of a recording apparatus that last modified the content of the recording medium.

15. (NEW) The recording apparatus of claim 7, wherein the device comprises:
 a coder to compression-code an A/V signal according to a predetermined compression scheme;
 a signal processor to modulate the compression-coded A/V signal;

a radio frequency amplifier to convert the modulated signal into a radio frequency signal;

an optical pickup to record the radio frequency signal as the manufacturer identification code on the recording medium;

a servo unit to control servo of the optical pickup based upon read signals from the radio frequency amplifier; and

a system controller to control the coder, the signal processor, the optical pickup, and the servo unit.

16. (NEW) The recording apparatus of claim 7, wherein the device records a product information code indicating a product model of the recording apparatus that last modified the content of the recording medium on the recording medium.

17. (NEW) The recording apparatus of claim 16, wherein the device records an operation code indicating information on an operation performed by the recording apparatus other than reproduction on the content on the recording medium.

18. (NEW) The recording apparatus of claim 17, wherein the operation code information is compatible for a plurality of different manufacturers.

19. (NEW) The recording apparatus of claim 7, wherein the device records a manufacturer information item specific to the manufacturer, and a manufacturer code to indicate the manufacturer of the manufacturer information item.

20. (NEW) The recording apparatus of claim 16, wherein the device records a manufacturer information item specific to the manufacturer, a manufacturer code to indicate the manufacturer of the recording apparatus of the manufacturer information item, and a product code to indicate a product model of the recording apparatus of the manufacturer information item.

21. (NEW) The recording apparatus of claim 20, wherein the device records time information indicating a time when the manufacturer information item is recorded on the recording medium.

22. (NEW) The recording apparatus of claim 20, wherein the device records the manufacturer codes and the product codes at a beginning part of the manufacturer information item.

23. (NEW) The recording apparatus of claim 19, wherein the device records a search pointer indicating a starting address of the manufacturer information item.

24. (NEW) The recording apparatus of claim 19, wherein the device updates a number of total manufacturer information items recorded on the recording medium.

25. (NEW) The recording apparatus of claim 24, wherein the recording apparatus determines whether the number exceeds a predetermined limit, and if so, deletes an oldest manufacturer information item stored on the recording medium.

26. (NEW) The recording apparatus of claim 16, wherein the device records a last address of manufacturer information which includes the manufacturer identification code and the product information code.

27. (NEW) The recording apparatus of claim 17, wherein the device records a last address of manufacturer information which includes the manufacturer identification code, the product code, and the operation code.

28. (NEW) A recording and reproducing apparatus to record and reproduce content on a recording medium, comprising:

a recorder to record on the recording medium a manufacturer identification code of the recording and reproducing apparatus indicating a manufacturer of the recording and reproducing apparatus as the last one to modify the content of the recording medium; and

a reproducer to read the manufacturer identification information, determine whether the content is effective based upon whether the read manufacturer identification information matches that of the recording and reproducing apparatus, and read the content if the content is effective.

29. (NEW) The recording and reproducing apparatus of claim 28, wherein if the reproducer determines that the read manufacturer identification information does not match that of the recording and reproducing apparatus, the reproducer reads the content of the recording medium to determine whether the content is effective.

30. (NEW) The recording apparatus of claim 4, wherein the manufacturer information further comprises a manufacturer information item specific for the manufacturer of the recording apparatus, wherein the recorder updates only the manufacturer information item and does not update other manufacturer information items already recorded on the recording medium.

31. (NEW) A reproducing apparatus to reproduce content from a recording medium on which a manufacturer identification code of a manufacturer of an apparatus that last modified the content of the recording medium, the reproducing apparatus comprising:

an optical pickup to read the manufacturer identification code; and

a reproducer to make a first determination of the manufacturer of the apparatus that last modified the content based upon the read manufacturer identification code, and make a second determination whether the optical pickup is to read the content based upon the first determination.

32. (NEW) The reproducing apparatus of claim 31, wherein the reproducer comprises:

a radio frequency amplifier to convert an optical signal of the read manufacturer identification code and the read content to an electrical signal and extracts a servo signal from the optical signal;

a signal processor to perform error correction coding and demodulate the optical signal;

a decoder to decode the error corrected demodulated signal;

a servo unit to control servo of the optical pickup based upon the servo signal; and

a system controller to control the radio frequency amplifier, the signal processor, the decoder, and the servo unit.

33. (NEW) The reproducing apparatus of claim 31, wherein the recording medium has a product information code indicating a product model of the apparatus that last modified the content of the recording medium on the recording medium, the optical pickup reads the product model, and the reproducer determines whether to read the content based upon the read product model.

34. (NEW) The reproducing apparatus of claim 31, wherein the recording medium has an operation code indicating information on an operation performed by the recording apparatus that last modified the content of the recording medium, the optical pickup reads the operation code and the reproducer determines how to modify the content based upon the read operation code.

35. (NEW) The reproducing apparatus of claim 33, wherein the recording medium has a manufacturer information item specific to the manufacturer, and a manufacturer code to indicate the manufacturer of the manufacturer information item, wherein the optical pickup reads the manufacturer code and the reproducer determines whether to read the manufacturer information item if the manufacturer code matches a code relating to the manufacturer of the reproducing apparatus.

36. (NEW) The reproducing apparatus of claim 33, wherein the recording medium has a manufacturer information item specific to the manufacturer, a manufacturer code to indicate the manufacturer of the recording apparatus of the manufacturer information item, and a product code to indicate a product model of the recording apparatus of the manufacturer information item, wherein the optical pickup reads the manufacturer code and the product code, and the reproducer determines whether to read the manufacturer information item if the manufacturer code matches a code relating to the manufacturer of the reproducing apparatus and the product code matches a code relating to the product model of the reproducing apparatus.

37. (NEW) The reproducing apparatus of claim 36, wherein the recording medium has time information indicating a time when the manufacturer information item is recorded on the recording medium, the optical pickup reads the time information and the reproducer processes the read time information.

38. (NEW) The reproducing apparatus of claim 35, wherein the recording medium has a search pointer indicating a starting address of the manufacturer information item, the optical pickup reads the search pointer and then reads the manufacturer information item at the starting address thereof.

39. (NEW) The reproducing apparatus of claim 31, wherein the reproducer determines whether the read manufacturer identification code matches a code of a current reproducing apparatus relating to a manufacturer of the current reproducing apparatus, controls the optical pickup to read the content if there is a match for reproduction of the content, controls the optical pickup to read the content if there is not the match for analyzing the content, and reproduces the content if there is the match or if the analysis indicates the content is reproducible by the current reproducing apparatus.

REMARKS

In accordance with the foregoing, the specification has been amended to improve form and provide improved correlation with the drawings and claims. Claims 4-10 and 15-39 are pending, claims 1-3 and 11-14 have been cancelled without prejudice or disclaimer and claims 15-39 have been newly added. No new matter is presented in this Preliminary Amendment.

In view of the foregoing amendments, arguments and remarks, all claims are deemed to be allowable and this application is believed to be in condition for allowance.

If any further fees are required in connection with the filing of this Amendment, please charge the same to our deposit account number 19-3935.

Should any questions remain unresolved, the Examiner is requested to telephone Applicants' attorney.

Respectfully submitted,

STAAS & HALSEY



Michael D. Stein
Registration No. 37,240

Dated 7/5/00

700 Eleventh Street, N.W.
Washington, D.C. 20001
Telephone: (202) 434-1500

TITLE OF THE INVENTION

METHOD AND APPARATUS FOR RECORDING MANUFACTURER INFORMATION ON A RECORDING MEDIUM AND FOR DETERMINING WHETHER THE MANUFACTURER INFORMATION IS EFFECTIVE

5 CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims the benefit of Korean Patent Application Nos. 98-23487, filed June 22, 1998 and 98-30753, filed July 29, 1998, in the Korean Patent Office, the disclosures of which are incorporated herein by reference.

BACKGROUND OF THE INVENTION

10 1. Field of the Invention

The present invention relates to optical recording and reproduction (recording/reproduction) of video and/or audio data. More particularly, the present invention relates to a recording medium for storing identification information of a manufacturer of a recorder which modifies the contents of the recording medium, and a recorder and/or a player which have the manufacturer specific information and a method therefor.

15 2. Description of the Related Art

FIG. 1 shows a one dimensional structure of a general recording medium. As shown in FIG 1, a volume space, which is the entire recording medium, is comprised of a volume and file structure area and areas in which real data is recorded (used blocks #1, #2, and #3). Real data can be recorded in a physically scattered state by editing in a predetermined unit, such as a program or a title. General information on the disc and information on the structures of a file and a directory, as shown in FIG. 2, are recorded in the volume and file structure area.

FIG. 2 shows files existing on a file system used for an apparatus for recording and reproducing audio and/or video (A/V) data on a rewritable recording medium. A bitstream file is a file on which real A/V data is recorded. An information file is a file containing information on the bitstream file. The file system may also include a resource file.

FIG. 3 shows the contents of the information file shown in FIG. 2. The contents can be classified into formatted bitstream information having a common format among

manufacturers, and manufacturer (specific) information having an individual format which is not compatible between manufacturers. The formatted information, which includes information for having a common function regardless of the manufacturer, is necessary to maintain compatibility. For example, the formatted information includes information on the starting position of a specific title in the bitstream file and information on a position corresponding to a specific time interval. The recorder and/or player obtains information on which position in the bitstream file is to be recorded and which position is to be reproduced through the formatted information and records/reproduces the bitstream file on the basis of the obtained information.

The manufacturer information that is used by each manufacturer to support specific functions of the respective manufacturer does not need to be compatible. For example, a function of recording information on the finally reproduced position in the bitstream file as the manufacturer information item and automatically reproducing from a position next to the finally reproduced position when the recording medium is reproduced later is an example of a specific function using manufacturer information. The specific function is supported only in the recording medium recorder/player which can support the manufacturer information.

In detail, as shown in FIG. 3, the contents of the manufacturer information are comprised of a manufacturer information header, for example, having information on the number of items (n) of the manufacturer information; the same number (n) of manufacturer information search pointers having information on the positions of the respective item of the manufacturer information (manufacturer information search pointer #1, ..., manufacturer information search pointer #n); and the respective manufacturer information items (manufacturer information item #1, .. manufacturer information item #n). A recorder/player of each manufacturer is expected to have at least one manufacturer information item.

The contents of the manufacturer information items can be understood and utilized only in the recorder/player of the specific manufacturer which generated the manufacturer information items, and are not compatible with the recorders/players of other manufacturers.

As described above, since the information for the specific function of the individual manufacturer is not compatible with information of other manufacturers, if additional recording/deleting processes are performed by a recorder/editor manufactured by a manufacturer B on a recording medium having the manufacturer information generated by a

manufacturer A, the manufacturer information of the manufacturer A may not be effective any longer. Since the manufacturer information is unique to the manufacturer A, only the manufacturer A can analyze and modify the information. Thus, the manufacturer B cannot modify or manage manufacturer A's information. When a recording medium of which the
5 contents are modified is returned to the recorder/player of the manufacturer A for more recording or reproducing, a mis-operation can occur since the information item containing the information for the specific function set by the manufacturer A may no longer be effective. Therefore, a check should always be made as to whether the manufacturer information is effective before using the manufacturer information made by the manufacturer
10 A when a recording medium is newly loaded into a recorder/player of the manufacturer A. Verification processes are complicated and it can take a long time to perform the processes when there is a large amount of recorded A/V data.

SUMMARY OF THE INVENTION

It is a first object of the present invention to provide a recording medium for storing manufacturer information for a specific function of recorders/players of different manufacturers.
15

It is a second object of the present invention to provide a recording medium for storing identification information of the manufacturer of a recorder/editor which last performed recording/deleting on the recording medium.
20

It is a third object of the present invention to provide a recorder/editor for and method of storing on a recording medium manufacturer information for a specific function of the recorder/editor of each different manufacturer.
25

It is a fourth object of the present invention to provide a recorder/editor for and a method of storing on a recording medium identification information of a manufacturer of the recorder/editor which performs recording/deleting.
30

It is a fifth object of the present invention to provide a recorder/player for and method of using the manufacturer information stored on the recording medium for the specific function of the recorders/players of each different manufacturer.

It is a sixth object of the present invention to provide a recorder/player for and method of checking whether the identification information of the manufacturer of a

recorder/editor which last performs recording/deleting on the recording medium is the same as the identification information of the manufacturer of the recorder/player to determine whether or not the manufacturer information is effective. That is, if the respective identification information is the same, then the manufacturer information item is effective. If not, the manufacturer information item may be not effective, thus requiring complete verification.

The above objects are achieved in accordance with the present invention with a rewritable recording medium to store audio/video (A/V) contents, including formatted information for the A/V contents, and manufacturer information to support the manufacturer's specific function, wherein the manufacturer information comprises an identification code of a manufacturer of a recording apparatus that last modified the content of the recording medium.

The above objects are achieved in accordance with the present invention with a recording apparatus for recording and/or editing audio, video, and/or information data on a rewritable recording medium, comprising a recording controller to produce A/V contents and formatted information for the A/V contents and manufacturer information to support the manufacturer's specific function, wherein the manufacturer information comprises an identification code of the manufacturer of a recording apparatus that last modified the content of the recording medium.

The above objects are achieved in accordance with the present invention with a reproducing apparatus for reproducing audio, video, and/or information data on a rewritable recording medium, comprising a reproducing controller to reproduce A/V contents and formatted information for the A/V contents and manufacturer information to support a manufacturer's specific function, wherein the manufacturer information comprises an identification code of the manufacturer of the recording apparatus that last modified the content of the recording medium.

The above objects are achieved in accordance with the present invention with a method of recording and/or editing audio, video, and/or information data on a rewritable recording medium, comprising the step of recording an identification code of the manufacturer of a recording apparatus which last modified the contents of the recording medium by performing recording/editing on the recording medium.

The above objects are achieved in accordance with the present invention with a method of recording/reproducing audio, video, and/or information data on a rewritable recording medium with a recording/reproducing apparatus using manufacturer information recorded on the recording medium, comprising the step of verifying a coincidence of an identification code of a manufacturer which last modified the contents of the recording medium and its own manufacturer identification code to determine whether its manufacturer specific information is effective.

BRIEF DESCRIPTION OF THE DRAWINGS

The above objects and advantages of the present invention will become more apparent by describing in detail a preferred embodiment thereof with reference to the attached drawings in which:

FIG. 1 shows a one-dimensional structure of a general recording medium;

FIG. 2 shows the file structure of the recording medium shown in FIG. 1;

FIG. 3 shows the contents of the information file shown in FIG. 2;

FIG. 4 is a block diagram of an optical recording and reproducing apparatus according to the present invention;

FIG. 5 is a table showing an example of detailed contents of a manufacturer information header for supporting a manufacturer specific function according to the present invention;

FIG. 6 is a table showing another example of detailed contents of a manufacturer information header according to the present invention;

FIG. 7 is a table showing the contents of a manufacturer information search pointer according to the present invention; and

FIG. 8 is a table showing the contents of a manufacturer information item according to the present invention.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

Hereinafter, preferred embodiments of a recording medium and a recorder/ editor for storing manufacturer information for supporting specific functions of the manufacturer and a recorder/player for using manufacturer information for supporting specific functions of the

manufacturer according to the present invention and preferred embodiments of a method therefor will be described.

FIG. 4 is a block diagram of an optical recording and reproducing apparatus in accordance with the present invention. The function of an apparatus for recording A/V data on and reproducing A/V data from a recordable and rewritable recording medium is divided into recording and reproducing.

During recording, an A/V codec 110 compression-codes an A/V signal input by a predetermined compression coding scheme. A digital signal processor (DSP) 120 receives A/V data supplied from the A/V codec 110, adds parity data for an error correction code (ECC) process, and performs modulation by a predetermined modulation scheme. A radio frequency amplifier (RF AMP) 130 converts data supplied from the DSP 120 into an RF signal. A pick-up unit 140 drives a recording medium, records data corresponding to the RF signal from the RF AMP 130 on a recording medium, and includes an actuator for performing focusing and tracking. A servo unit 150 receives information required for controlling a servo from the RF AMP 130 and a system controller 160 and performs a stable servo operation. The system controller 160 controls the entire system, controls the A/V data to be recorded on the recording medium, and records information including information on the size and the position of the compressed data as well as manufacturer information on the recorder/editor performing the specific function, the recording/editing. Also, the system controller 160 determines whether the manufacturer information recorded on the recording medium is effective using the identification information on the recorder/editor performing the recording/editing functions by finally accessing the recording medium, and controls recording/editing operations using the determined manufacturer information.

During reproduction, the pick-up unit 140 provides an optical signal picked up from the recording medium in which data is stored. The RF AMP 130 converts the optical signal into an electrical signal and extracts the servo signal for performing the servo and extracts the modulated data. The DSP 120 demodulates the modulated data supplied from the RF AMP 130 corresponding to the modulation scheme used upon modulation, corrects errors by performing ECC, and removes the parity data. The servo unit 150 receives information required for controlling the servo from the RF AMP 130 and the system controller 160 and performs a stable servo operation. The A/V codec 110 decodes the compressed A/V data

supplied from the DSP 120 and outputs an A/V signal. The system controller 160 controls the entire system to reproduce data using the information recorded on the recording medium, performing a user interface, i.e., processing the key input of the user. Also, the system controller 160 determines whether the manufacturer information recorded on the recording medium is effective using the identification information on the recorder/editor performing the recording/editing functions by finally accessing the recording medium, and controls reproducing operations using the determined manufacturer information.

FIG. 5 is a table showing an example of detailed contents included in a manufacturer information header for a manufacturer specific function according to the present invention.

The table shown in FIG. 5 can be comprised of MNFI_Ns which is information on the number of manufacturer information items, a manufacturer identification code (LAST_MN) indicating the manufacturer of the recorder/editor which last modified the contents of the recording medium. Moreover, the table shown in FIG. 5 can include a product code (LAST_PROD) indicating the product model of the recorder/editor which last modified the recording medium, and an operation code (OP_CD) expressed by a predetermined code indicating information on an operation performed by the recorder/editor, for example, an operation of modifying A/V bitstream data on the recording medium by recording, editing, erasing, and a specific function other than simple reproduction.

The manufacturer identification code is for classifying different manufacturers, in which the respective manufacturers are expected to have unique values. Simple text data of the manufacturer's name can be used because it is very difficult to imagine that different manufacturers have the same name.

The operation code has compatibility since it must be understood by different manufacturers. The information on the recorder/editor performing the recording/editing by finally accessing the recording medium and the information on the performed operation are provided by recording such information on the manufacturer information header in each recorder/editor performing the recording/editing by accessing the recording medium. When only simple reproduction is performed, manufacturer identification information of the reproducing apparatus is not recorded on the manufacturer information header because there is no change in the contents of the recording medium.

Examples of using the manufacturer information using the above data structure are as follows. When the manufacturer A generates a manufacturer information item and records information on the recording medium and the manufacturer B edits the recording medium in the recorder/editor, the recorder/editor of the manufacturer B records the identification code of the manufacturer B, the product code of the recorder/editor and the operation code indicating information including that an editing operation has been performed on the manufacturer information header as shown in FIG. 5, before ejecting the recording medium.

When the data recorded on the recording medium is overwritten, edited, and reproduced using the manufacturer information item by the recorder, editor, and player of the manufacturer A, the identification information on the manufacturer which last used the recording medium, product information of the recorder/editor, and information on the operation performed in the manufacturer information header, it is determined whether the manufacturer information items to be used during recording, editing, and reproducing are effective.

If the manufacturer identification code recorded in the recording medium which identifies the manufacturer that last modified the recording medium is consistent with concerned recorder/editor/player's manufacturer identification code, it is determined that the concerned manufacturer information item is effective. If the manufacturer identification code recorded in the recording medium is not consistent with the concerned manufacturer identification code, it must be determined whether the manufacturer information items to be used are effective by analyzing the entire contents of the recording medium. When the manufacturer information items are effective, they can be used.

Also, when the recorder/editor which last modified the recording medium is the current recorder/editor and the editing operation is finally performed, it is easily judged that the manufacturer information item for the manufacturer is effective since it is possible to update the manufacturer information item according to the recording/editing operation by analyzing the contents of the manufacturer information item corresponding to the modified contents. Accordingly, it is possible to reduce the time required to determine whether the manufacturer information items are effective. When the manufacturer information items are effective, it is possible to perform the recording, the editing, and/or reproduction using the manufacturer information items.

FIG. 6 is another example of a manufacturer information header according to the present invention. As shown in FIG. 6, MNFI_Ns indicates the number of manufacturer information items, MNFIT_EA indicates the last address of a manufacturer information, LAST_MN indicates an identification code of a manufacturer of a recorder/editor which last modified A/V contents. LAST_PROD indicates a code of a product which last modified the A/V contents. MN_CD indicates the manufacturer code corresponding to the number of manufacturer information items, PROD_CD indicates the product codes of the respective manufacturer information items. FILE_NAME indicates the file name of an additional file for individual information, and REC_TM indicates the time in which individual information was recorded. The MN_CD and/or PROD_CD and/or FILE_NAME and/or REC_TM can be recorded in the beginning part of the respective manufacturer information items.

To restrict the size of manufacturer information, there is a maximum number of MNFI_Ns (for example, up to 5). When the number of manufacturer information items exceeds the maximum number, the oldest records can be deleted. If the manufacturer information item has an additional file when the manufacturer information item is deleted, this file is also deleted. When a recorder/editor modifies the recording medium content and it has its own manufacturer information item, only the concerned manufacturer information is updated and other manufacturer information items should remain unchanged. When a recorder/editor modifies the recording medium content but it does not have its own manufacturer information item, even in this case, the identification code of the manufacturer which modifies the recording medium should be recorded.

MNFIT_EA is the last address of a manufacturer information, for example, having a relative block number (RBN) from the first byte position of the manufacturer information header. LAST_MN denotes a manufacturer identification code which last modified the A/V contents. It is mandatory to have this recorded when the A/V contents are modified by the recorder/editor even if the recorder/editor does not have the manufacturer information item therefor. LAST_PROD made by the manufacturer denotes a product code of the product which last modified the A/V contents. It must be recorded when the recorder/editor modifies the A/V contents even if the recorder/editor does not have the manufacturer information item therefor. Since the manufacturer identification codes must be classified according to the respective manufacturers, they preferably have unique values according to the respective

manufacturers. Also, since a manufacturer may have various products, it is recommended that the manufacturer manage the product codes.

Namely, a set in which the A/V contents are modified in order to make the information in relation to real A/V contents identical to A/V contents must record the manufacturer identification information in the manufacturer identification code field (LAST_MN) of the manufacturer information header even if there is no manufacturer information item of its own. Also, when the recording medium is inserted into a set, it must be checked whether the real A/V contents identical to the manufacturer's information item which is specific to the manufacturer in relation to the A/V contents of the recording medium. The first and easiest way is to check the identification code of the manufacturer which last modified the recording medium. When the A/V contents are modified by other manufacturer's equipment, a concerned set must modify or update the information in relation to A/V contents.

MN_CD and PROD_CD are manufacturer codes and the product codes, as many as stored manufacturer information items, to indicate that each manufacturer information item belongs to which manufacturer and product. When the information for the manufacturer products exists in an additional file, FILE_NAME is the name of the file. If there is no file, the FILE_NAME is filled with a special value. REC_TM denotes the time when the information is recorded. MN_CD, REC_TM, PROD_CD, FILE_NAME can be recorded in the beginning part of the respective manufacturer information items.

FIG. 7 is a table showing the contents of a manufacturer information search pointer according to the present invention. FIG. 7 includes MNFI_SA which denotes the starting address of the manufacturer information item. The MNFI_SA is the starting address of the manufacturer information item, for example, having RBN from the first byte of the manufacturer information header.

FIG. 8 is a table showing the contents of the manufacturer information items according to the present invention, which has bytes of variable length. The maximum size of the information is, for example, 10 Kilobytes (KB). When the size of the information exceeds 10 KB, the additional information file of the manufacturer can be used.

As described above, according to the present invention, a recording medium is provided, which contains A/V data and formatted information to use the A/V data for

recording and reproducing, and manufacturer information to support manufacturer specific function which cannot be implemented using the formatted information. Moreover, manufacturer information is provided to support multiple manufacturer information items. Such information also contains the identification code of the manufacturer which last
5 modified the contents of the recording medium. This information can be used to check the effectiveness of its own manufacturer information item when the recording medium is recorded, edited, reproduced by multiple equipment of different manufacturers since the manufacturer information item which is specific to the manufacturer can not be managed by other manufacturer's equipment. Accordingly, it is possible to reduce the time taken to
10 determine whether the manufacturer information items are effective.

Although a few preferred embodiments of the present invention have been shown and described, it would be appreciated by those skilled in the art that changes may be made in this embodiment without departing from the principles and spirit of the invention, the scope of which is defined in the claims and their equivalents.

CLAIMS

What is claimed is:

1 1. A rewritable recording medium to store content, comprising:
2 formatted information for the content; and
3 manufacturer information to support a manufacturer's specific function, wherein the
4 manufacturer information comprises an identification code of a manufacturer of a recording
5 apparatus that last modified the content of the recording medium.

1 2. The recording medium of claim 1, wherein the manufacturer information
2 further comprises an identification code of a product that last modified the content of the
3 recording medium.

1 3. A rewritable recording medium to store content, comprising:
2 an identification code of a manufacturer of a recording apparatus that last modified
3 the content of the recording medium.

1 4. A recording apparatus for recording and/or editing content, including audio,
2 video, and/or information data, on a rewritable recording medium, comprising:
3 a recording controller to produce content and formatted information for the content
4 and manufacturer information to support a manufacturer's specific function,
5 wherein the manufacturer information comprises an identification code of the
6 manufacturer of a recording apparatus that last modified the content of the recording
7 medium.

1 5. The recording apparatus of claim 4, wherein the manufacturer information
2 further comprises an identification code of a product that last modified the content of the
3 recording medium.

1 6. The recording apparatus of claim 4, wherein the manufacturer information has
2 a maximum number of manufacturer information items, and if the number of manufacturer

3 information items exceeds the maximum number of manufacturer information items, then the
4 recording controller deletes an oldest manufacturer information item.

1 7. A recording apparatus to record content on a recording medium, comprising:
2 a device to record a manufacturer identification code of the recording apparatus on the
3 recording medium in response to the recording apparatus modifying the content.

1 8. A reproducing apparatus for reproducing content, including audio, video,
2 and/or information data, on a rewritable recording medium, comprising:
3 a reproducing controller to reproduce the content, formatted information for the
4 content and manufacturer information to support a manufacturer's specific function,
5 wherein the manufacturer information comprises an identification code of the
6 manufacturer of a recording apparatus that last modified the content of the recording
7 medium.

1 9. The reproducing apparatus of claim 8, wherein the manufacturer information
2 further comprises a product identification code of the recording apparatus that last modified
3 the content of the recording medium.

1 10. A reproducing apparatus to reproduce content and information on a recording
2 medium, comprising:
3 a device to check an identification code of a manufacturer and an identification code
4 in the information recorded on the recording medium to determine a manufacturer that last
5 modified the content on the recording medium.

1 11. A method for recording and/or editing content, including audio, video, and/or
2 information data, on a rewritable recording medium, comprising:
3 recording an identification code of a manufacturer of a recording apparatus that last
4 modified the content of the recording medium by performing recording/editing on the
5 recording medium.

1 12. The method of claim 11, further comprising:

2 recording a product identification code of the recording apparatus of the manufacturer
3 that last modified the content of the recording medium by performing recording/editing on
4 the recording medium.

1 13. A method of recording/reproducing content, including audio, video, and/or
2 information data, on a rewritable recording medium with a recording/reproducing apparatus
3 using manufacturer information recorded on the recording medium, comprising:

4 verifying a coincidence of an identification code of a manufacturer which last
5 modified the content of the recording medium and the manufacturer identification code of the
6 recording/reproducing apparatus to determine whether manufacturer specific information of
7 the recording/reproducing apparatus is effective.

1 14. The method of claim 13, further comprising:

2 verifying the coincidence of an identification code of a product that last modified the
3 content of the recording medium and a product identification code of the
4 recording/reproducing apparatus to determine whether manufacture specific information of
5 the recording/reproducing apparatus is effective.

ABSTRACT OF THE DISCLOSURE

A recording medium and a recording apparatus for storing manufacturer information for supporting specific functions for each manufacturer and a method therefor. A
reproducing apparatus for reproducing manufacturer information for supporting specific
5 functions and a method therefor is also provided. If a recording apparatus modifies the contents of the recording medium, then it should record its manufacturer's identification code. A recording apparatus/reproducing apparatus should check the identification code on the recording medium before using its own manufacture information item for some specific function. Also, it is possible to reduce the time required to determine whether the
10 manufacturer information items are effective.

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

MNFI_NS	NUMBER OF MANUFACTURER INFORMATION
LAST_MN	MANUFACTURER'S CODE WHICH LAST MODIFIED AV CONTENTS
LAST_PROD	PRODUCT'S CODE WHICH LAST MODIFIED AV CONTENTS
OP_CD	OPERATION CODE

FIG. 6

	CONTENTS	NUMBER OF BYTES
MNFI_Ns	NUMBER OF MANUFACTURER'S INFORMATION	1 BYTE
MNFI_EA	END ADDRESS OF MNFIT	4 BYTES
LAST_MN	MANUFACTURER'S CODE WHICH LAST MODIFIED AV CONTENTS	32 BYTES
LAST_PROD	PRODUCT'S CODE WHICH LAST MODIFIED AV CONTENT	32 BYTES
MN_CD	MANUFACTURER'S CODE	2xMNFI_Ns BYTES
PROD_CD	PRODUCT'S CODE	2xMNFI_Ns BYTES
FILE_NAME	EXCLUSIVE FILE FOR INDIVIDUAL INFORMATION	12xMNFI_Ns BYTES
REC_TM	RECORDED TIME	8xMNFI_Ns BYTES

FIG. 7

	CONTENTS	NUMBER OF BYTES
MNFI_SA	START ADDRESS OF MNF	2 BYTES

FIG. 8

	CONTENTS	NUMBER OF BYTES
MNFI	MANUFACTURER'S INFORMATION	VARIABLE LENGTH BYTES

COMBINED DECLARATION/POWER OF ATTORNEY FOR UTILITY/DESIGN PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

METHOD AND APPARATUS FOR RECORDING MANUFACTURER INFORMATION AND FOR DETERMINING WHETHER THE MANUFACTURER INFORMATION IS EFFECTIVE

the specification of which is attached hereto, unless the following box is checked:

It was filed on June 22, 1999 as United States Application Number or PCT International Application Number 09/337,253 and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56.

I hereby claim foreign priority benefit(s) under 35 U.S.C. § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application(s) for patent or inventor's certificate having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)

Priority Not Claimed

98-23487

(Number)

KOREA

(Country)

22/JUNE/1998



Day/Month/Year Filed

98-30753

(Number)

KOREA

(Country)

29/JULY/1998



Day/Month/Year Filed

I hereby claim the benefit under 35 U.S.C. § 120 or § 119(e) of any United States application(s), or § 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application(s) in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

(Application Serial No.)

(Filing Date)

(Status -- patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status -- patented, pending, abandoned)

I hereby appoint the following attorneys and agent to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: James D. Halsey, Jr., 22,729; Harry John Staas, 22,010; David M. Pitcher, 25,908; John C. Garvey, 28,607; J. Randall Beckers, 30,358; William F. Herbert, 31,024; Richard A. Gollhofer, 31,106; Mark J. Henry, 36,162; Gene M. Garner II, 34,172; Michael D. Stein, 37,240; Paul I. Kravetz, 35,230; Gerald P. Joyce, III, 37,648; Todd E. Marlette, 35,269; Harlan B. Williams, Jr., 34,756; George N. Stevens, 36,938; Michael C. Soldner, 41,455; Norman L. Ourada, 41,235; Kevin R. Spivak, 43,148; Deborah S. Gladstein, P-43,636; and William M. Schertler, 35,368 (agent)

Address all correspondence to: STAAS & HALSEY, 700 Eleventh Street, N.W., Suite 500, Washington, D.C. 20001
Direct all telephone calls to: (202) 434-1500 - Facsimile No. (202) 434-1501

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor Seong-jin MOON

Inventor's Signature Seong - Jin Moon

Date 27 July 1999

Residence Seoul, Republic of Korea

Citizenship Korea

Post Office Address 1080-51 Daerim 2-dong, Youngdeungpo-gu, Seoul, Republic of Korea

Full name of second joint inventor, if any Young-nam OH

Second Inventor's Signature Young - Nam Oh

Date 27 July 1999

Residence Sungnam-city, Republic of Korea

Citizenship Korea

Post Office Address 403-302 Satbyulmaeul, 39 bundang-dong, Bundang-gu, Sungnam-city, Kyungki-do, Republic of Korea

Full name of third joint inventor, if any Tae-yun CHUNG

Third Inventor's Signature TAE YUN CHUNG

Date 27 July 1999

Residence Gwachun-city, Republic of Korea

Citizenship Korea

Post Office Address 806-602 Jugong Apt., Burim-dong, Gwachun-city, Kyungki-do, Republic of Korea

Additional inventors are being named on separately numbered sheet(s) attached hereto.

11/97

UNITED STATES

Docket No.: 1293.1072\MDs

COMBINED DECLARATION/POWER OF ATTORNEY FOR UTILITY/DESIGN PATENT APPLICATION

Full name of third inventor, if any Jung-suk KANG

Inventor's Signature Jung-suk Kang

Date 27 July 1999

Residence Seoul, Republic of Korea

Citizenship Korea

Post Office Address 101-1310 Gunyoung Apt., 72-3 Muriung-dong, Songpa-gu, Seoul, Republic of Korea

Full name of fourth joint inventor, if any Pan-gie PARK

Inventor's Signature Pan-gie Park

Date 27 July 1999

Residence Suwon-city, Republic of Korea

Citizenship Korea

Post Office Address 509-201 Daewon Apt., Kwonsun-dong, Kwonsun-gu, Suwon-city, Kyungki-do, Republic of Korea

Full name of fifth joint inventor, if any _____

Inventor's Signature _____

Date _____

Residence _____

Citizenship _____

Full name of sixth joint inventor, if any _____

Inventor's Signature _____

Date _____

Residence _____

Citizenship _____

Post Office Address _____

Full name of seventh joint inventor, if any _____

Inventor's Signature _____

Date _____

Residence _____

Citizenship _____

Post Office Address _____

Full name of eighth joint inventor, if any _____

Inventor's Signature _____

Date _____

Residence _____

Citizenship _____